

**Proficient Outdoor Sound** 



## **More Bass for Your Chaise**

Proficient Outdoor Speakers Deliver Backyard Bass All Over Your Place

No matter how comfortable the chaise lounge or how cool the drink, real relaxation comes only when the sound outdoors is as good as the sound indoors. That's why Proficient's all-weather speakers use a ported design — delivering deeper, more powerful bass.

The combination of the ported design with a big 8-inch woofer in our AW830 three-way brings outdoor sound to a new level. Even our compact AW525 pumps out enough bottom end to get any backyard grooving. Proficient's all-weather line also includes twin-tweeter models for stereo sound from a single speaker, as well as stereo and twin-tweeter Rocks for stealthy sound. Our outdoor speakers sound great through years of rough weather because they're built tough.

They're everything you need to keep you happy tune after tune, summer after summer. All from Proficient — your premium brand for incredible outdoor sound systems.

## Indoor / Outdoor Speakers

### AW830

8" Stereo Indoor/Outdoor Speakers

Woofers: 8" Polypropylene Cones Midrange: 3" Graphite Cones Tweeters: 1" Pivoting Supernil Soft Domes Power Handling: 175 Watts Frequency Response: 35Hz - 20kHz Impedance: 4Ω Sensitivity: 89dB 1W/1m Includes Swivel Mounting Brackets Dimensions: H 15¾" x W 8¾" x D 8¾" Colors: White & Black Unit of Measure: Pair

## AW650

6<sup>1</sup>/<sub>2</sub>" Stereo Indoor/Outdoor Speakers

Woofers: 6½" Polypropylene Cones Tweeters: 1" Pivoting Supernil Soft Domes Power Handling: 150 Watts Frequency Response: 37Hz - 20kHz Impedance: 8Ω Sensitivity: 89dB 1W/1m Includes Swivel Mounting Brackets Dimensions: H 11" x W 7" x D 6¼" Colors: White & Black Unit of Measure: Pair

# Indoor / Outdoor Speakers

### AW525

5<sup>1</sup>/<sub>4</sub>" Stereo Indoor/Outdoor Speakers

Woofers: 5¼" Polypropylene Cones Tweeters: 1" Pivoting Supernil Soft Domes Power Handling: 125 Watts Frequency Response: 45Hz - 20kHz Impedance: 8Ω Sensitivity: 88dB 1W/1m Includes Swivel Mounting Brackets Dimensions: H 9¾6" x W 6½" x D 6¾" Colors: White & Black Unit of Measure: Pair

### AW400

#### 4" Stereo Indoor/Outdoor Speakers

Woofers: 4" Polypropylene ConesTweeters: ¾" Supernil Soft DomesPower Handling: 100 WattsFrequency Response: 55Hz - 20kHzImpedance: 8ΩSensitivity: 87dB 1W/1mIncludes Swivel Mounting BracketsDimensions: H 7¾" x W 5½" x D 5½"Colors: White & BlackUnit of Measure: Pair

## Single Stereo Outdoor Speakers



6<sup>1</sup>/<sub>2</sub>" Single Stereo Indoor/Outdoor Speaker

Woofer: 6½" Dual Voice Coil Polypropylene ConeTweeters: Two 1" Pivoting Supernil Soft DomesPower Handling: 125 WattsFrequency Response: 50Hz - 20kHzImpedance: 4ΩSensitivity: 91dB 1W/1mIncludes Swivel Mounting BracketsDimensions: H 7" x W 12" x D 8"Colors: White & BlackUnit of Measure: Each

## AW500TT

5<sup>1</sup>/<sub>4</sub>" Single Stereo Indoor/Outdoor Speaker

Woofer: 5¼" Dual Voice Coil Polypropylene Cone Tweeters: Two 1" Pivoting Supernil Soft Domes Power Handling: 100 Watts Frequency Response: 60Hz - 20kHz Impedance: 4Ω Sensitivity: 89dB 1W/1m Includes Swivel Mounting Brackets Dimensions: H 7" x W 11" x D 6¼" Colors: White & Black Unit of Measure: Each

# Rock Speakers

 $\mathbf{H}_{i}$ 

#### **R800** 8" Stereo Rock Speakers

The second

7

Woofers: 8" Graphite Cones Tweeters: 1" Polyamide Domes Power Handling: 90 Watts Frequency Response: 65Hz - 20kHz Impedance: 8Ω Sensitivity: 95dB 1W/1m Dimensions: H 14½" x W 14½" x D 11" Colors: Granite & Sandstone

Unit of Measure: Pair

**R650** 6½" Stereo Rock Speakers

Woofers: 61/2" Graphite Cones Tweeters: 1" Polyamide Domes Power Handling: 60 Watts Frequency Response: 80Hz - 20kHz Impedance: 8Ω Sensitivity: 88dB 1W/1m Dimensions: H 111/2" x W 91/2" x D 81/4" Colors: Granite & Sandstone Unit of Measure: Pair

## **PROFICIENT**

1800 S McDowell Blvd • Petaluma, CA 94954 • 800.472.5555 • Fax 707.283.5901 • proficientaudio.com ©2015 Core Brands, LLC. All rights reserved. Proficient<sup>®</sup> is a registered trademark of Core Brands, LLC, a Nortek company.